CLAIMS

What is claimed is:

1. A composition for the prophylaxis and treatment of inflammatory diseases of the periodontum, the composition comprising:

vitamin E.

- 2. The composition of claim 1, wherein said vitamin E is dl-alpha-tocopheryl acetate.
 - 3. The composition of claim 1, wherein said vitamin E is d-alpha-tocopheryl acetate.
- 4. The composition of claim 1, wherein the concentration of said vitamin E ranges from about 7,000 I.U. to 56,000 I.U.
 - 5. The composition of claim 1, wherein the concentration of said vitamin E ranges from about 28,000 I.U. to 56,000 I.U.
- 20 6. The composition of claim 1, wherein the concentration of said vitamin E is about 28,000 I.U.
 - 7. The composition of claim 1, wherein the concentration of said vitamin E is about

56,000 I.U.

20

- 8. A composition for the prophylaxis and treatment of inflammatory diseases of the periodontum comprising:
- 5 a therapeutically effective amount of vitamin E.
 - 9. The composition of claim 8, wherein said vitamin E is d-alpha-tocopheryl acetate.
- 10. The composition of claim 8, wherein the concentration of said vitamin E present in said composition ranges from about 7,000 I.U. to 56,000 I.U.
 - 11. The composition of claim 8, wherein the concentration of said vitamin E present in said composition ranges from about 28,000 I.U. to 56,000 I.U.
- 15 12. The composition of claim 8, wherein the concentration of said vitamin E present in said composition is about 28,000 I.U.
 - 13. The composition of claim 8, wherein the concentration of said vitamin E present in said composition is about 56,000 I.U.
 - 14. A method for the prophylaxis and treatment of diseases within the oral cavity comprising:

applying a predetermined effective amount of vitamin E topically to the oral cavity.

- 15. The method of claim 14, wherein said vitamin E is selected from dl-alphatocopheryl acetate and d-alpha-tocopheryl acetate.
- 5 16. The method of claim 14, wherein the concentration of said vitamin E present in said composition ranges from about 7,000 I.U. to 56,000 I.U.
 - 17. The method of claim 14, wherein the concentration of said vitamin E present in said composition ranges from about 28,000 I.U. to 56,000 I.U.

10

- 18. The method of claim 14, wherein the concentration of said vitamin E present in said composition is about 28,000 I.U.
 - 19. The method of claim 15, further comprising:
- applying an appropriate amount of vitamin E to the oral cavity to adequately coat said oral cavity.
 - 20. The method of claim 15, further comprising: applying the effective amount of vitamin E on a daily basis.